

CONSUMER PRODUCTS SERVICES DIVISION

LOONEY LABS

Technical Report: (6620)224-0667 August 18,2020

Date Received: August 11,2020 Page 1 of 12

CHENXIULI/GULIQIN LOONEY LABS

Sample Description: STAR TREK VOYAGER FLUXX & ZOMBIE FLUXX

Vendor: LOONEY LABS Sample Size: 1 CARTON

Manufacturer: **LONGPACK** Style No(s): N/A LOONEY LABS SKN/SKU No.: N/A Buver: Labeled Age Grade: AGES 8-A PO No.: N/A Appropriate Age Grade: NOT REQUESTED Ref # N/A Country of Origin: Client Specified Age Grade: **OVER 8 YEARS OF AGE CHINA** Tested Age Grade: **OVER 8 YEARS OF AGE** Assortment No.: N/A Country Destination: UPC Code: N/A USA

EXECUTIVE SUMMARY:

The sample(s) MEETS the following requirement(s):

- The mechanical and physical properties requirements of the tested subclauses of the European Standard, "Safety of toys", EN71: Part 1:2014+A1:2018, clauses 1-7. (With note 2)
- The flammability requirements of the European Standard "Safety of Toys", EN 71: Part 2: 2011+ A1: 2014.
- The migration of certain elements in Category III Scraped off toy material requirements of the European Standard, "Safety of Toys", EN 71 Part 3: 2019 section 8.
- The BBP, DBP, DEHP, DnHP and DIDP content requirements in toys, child care articles and watches according to the California Proposition 65 settlements of County of Sacramento case number 07AS04683, and the Alameda Superior Court case numbers BG07350969, RG08367601, RG07351032 and RG08378050.
- PHTHALATES CONTENT IN CHILDREN'S TOYS AND CHILD CARE ARTICLES (Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 108(a) and 108(c), 16 CFR 1307)



Technical Report: (6620)224-0667

August 18,2020 Page 2 of 12

NOTE:

- 1. The sample is tested for "OVER 8 YEARS OF AGE" as the client's request.
- 2. Only importer name and address was presented on the product and packaging. If the manufacturer (declaring himself as manufacturer by establishing and signing the EC declaration of conformity) is outside the community and the products are placed on the EU market by an importer, the toy will bear two company name and addresses: the one of the manufacturer and the one of the importer.
- 3. According to the associated documents of Consumer Product Safety Improvement Act (CPSIA) of 2008, exemptions were granted to certain materials or products, such as natural materials / paper and similar materials / CMYK process printing inks / metal & alloys / electronics devices components / ordinary books / dyed & undyed textiles. Therefore, the lead content analysis < Cmyk on paper > was not conducted.

BVCPS (SHANGHAI) GENERAL CONTACT INFORMATION FOR THIS REPORT

TELEPHONE NO.: 86-21-24166888

E-MAIL: bvcpshltoy.sh@cn.bureauveritas.com

BUREAU VERITAS

CONSUMER PRODUCTS SERVICE DIVISION (SHANGHAI)

Laboratory Test location:

No. 368, Guangzhong Road, Zhuanqiao Town, Minhang,

Shanghai.

No. 168, Guanghua Road, Zhuanqiao Town, Minhang,

Shanghai.

LEON DENG

PRODUCT LINE MANAGER (TOY DIVISION)



Technical Report: (6620)224-0667

August 18,2020 Page 3 of 12

APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the EN71: Part 1: 2014 +A1:2018, CEN ISO/TR 8124-8:2016 Safety of toys - Part 8: Age Determination Guidelines prepared by Technical Committee CEN/TC 52

and Age Grade Determination Guidelines of the Consumer Product Safety Commission (CPSC)

Note: The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be

used for testing.

Note: If the client does not specify an age grade for testing or request Bureau Veritas Consumer

Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used

for testing.

EXPLANATION OF THE ABBREVIATIONS FOR PART 1, 2

Symbol	Explanation									
NM	The samples are NOT	The samples are NOT IN COMPLIANCE WITH the requirement of this Subclause								
M	The samples are IN Co	OMPLIANC	E WITH the requirement of	of this Subcl	ause					
N/A	Not Applicable									
NR	Not Requested									
NE	Not Evaluated									
NP	None Present									
Р	Present									
R	Refer to Comment Sec	ction of this	report							
Symbol	Language Present	Symbol	Language Present	Symbol	Language Present					
В	Belgian language	G	German language	PR	Portuguese language					
D	Danish language									
E	English language H Dutch language SD Swedish language									
F	Finnish language		Italian language	SZ	Swiss language					
FR	French language	N	Norwegian language							



Technical Report: **(6620)224-0667**August 18,2020
Page 4 of 12

MECHANICAL & PHYSICAL PROPERTIES (EN 71: PART 1 - 2014+A1 - 2018)

Subclause	Requirement	Result
4.1	Material cleanliness	М
4.2	Assembly	NA
4.3	Flexible plastic sheeting	NA
4.4	Toy Bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7 & 7.6	Edges	M
4.8 & 7.6	Points and metallic wires	M
4.8e	Splinters	M
4.9	Protruding parts	NA
4.10.1	Folding and sliding mechanisms	NA
4.10.2	Driving mechanisms	NA
4.10.3	Hinges	NA
4.10.4	Springs	NA
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12 & 7.3	Balloons	NA
4.13 & 7.9	Cord of toy kites and other flying toys	NA
4.14.1	Toys which a child can enter	NA
4.14.2 & 7.8	Masks and helmets	NA
4.15.1	Toys propelled by child	
4.15.1.2 & 7.10.1 & 7.10.2 & 7.10.3 & 7.10.4 & 7.16	Toys propelled by child – Instructions for use	NA
4.15.1.3	Toys propelled by child – Strength	NA
4.15.1.4	Toys propelled by child – Stability	NA
4.15.1.5	Toys propelled by child – Braking	NA
4.15.1.6	Toys propelled by child - Transmission	NA
4.15.1.7	Toys propelled by child – insertion mark	NA
4.15.1.8	Electrically-driven ride-on toys	NA
4.15.2	Toy bicycles	
4.15.2.2 & 7.15	Toy bicycles – Warnings and instructions for use	NA
4.15.2.3	Toy bicycles – Braking	NA
4.15.3 & 7.16 & 7.19	Rocking horses and similar toys	NA
4.15.4 & 7.16	Toys not propelled by child	NA
4.15.5 & 7.18	Toy scooters	NA
4.16	Heavy immobile toys	NA
4.17.2	All projectiles	NA
4.17.3 & 7.7	Projectile toys with stored energy	NA
4.17.4 & 7.26	Certain projectiles toys without stored energy	NA
4.18 & 7.4	Aquatic toys and inflatable toys	NA
4.19 & 7.13 & 7.14	Percussion caps	NA



Technical Report: (6620)224-0667

August 18,2020 Page 5 of 12

MECHANICAL & PHYSICAL PROPERTIES (EN 71: PART 1 – 2014+A1 – 2018)

Subclause	Requirement	Result
*4.20.2.1- 4.20.2.8, 4.20.2.10, 4.20.2.12	Acoustics	NA
4.20.2.9, 4.20.2.11 & 7.14	Acoustics – percussion toys & cap-firing toys	NA
4.21	Toys containing a non-electrical heat source	NA
4.22 & 7.2	Small balls	NA
4.23	Magnet	
4.23.2 a, b & c	Toy other than magnetic / electrical experimental sets intended for children over 8 years	NA
4.23.3 & 7.20	Magnetic / electrical experimental sets intended for children over 8 years	NA
4.24	Yo-yo ball	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27.1	Flying toys – General	NA
4.27.2 & 7.25.1	Rotors and propellers on flying toys	NA
4.27.3 & 7.25.2	Rotors and propellers on remote controlled flying toys	NA
	FOR TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS	
5.1	General	NA
5.1a	Small parts – as received	NA
5.1b	Small parts, sharp points, sharp edges – after tests	NA
5.1c	Cross section <2mm metal points & wires	NA
5.1e	Toys contain glue	NA
5.1f	Casing of toys	NA
5.2	Fillings, coverings and seams	NA
5.3	Adhesion of plastic sheeting	NA
5.4.2	Cords and chains in toys intended for children under 18 months	NA
5.4.3 & 7.22	Cords and chains in toys intended for children of 18 months or over but under 36 months	NA
5.4.4	Fixed loops, tangled loops and nooses	NA
5.4.5	Cords and chains on pull along toys	NA
5.4.6 & 7.21	Electrical cables	NA
5.4.7	Cross-sectional dimension of certain cords	NA
5.4.8	Self-retracting cords	NA
5.4.9 & 7.11 & 7.23	Toys attached to or intended to be strung across a cradle, cot or perambulator	NA
5.5 & 7.12	Liquid filled toys	NA
5.6	Electrically driven toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size	NA
5.9 & 7.17	Monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA



Technical Report: (6620)224-0667

August 18,2020 Page 6 of 12

MECHANICAL & PHYSICAL PROPERTIES (EN 71: PART 1 – 2014+A1 – 2018)

Subclause	Requirement	Result
5.12	Hemispheric shaped toys	NA
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15 & 7.24	Sledges with cords for pulling	NA
6	Packaging	NA
	WARNINGS, INSTRUCTIONS FOR USE	
7.1	General	NA
7.2	Toys not intended for children under 36 months	NA
7.5	Functional toys	NA

2009/48/EC General Labeling Requirement

Requirement	Result
CE Mark	М
Manufacturer/ Importer name and address	SEE NOTE 2
Product Identification	М

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section

FLAMMABILITY (EN 71 PART 2: 2011 + A1: 2014)

Subclause	Requirement	Result
4.1	Cellulose nitrate	NP
4.1	Surface flash on a piled surface	N/A
4.1	Flammable gases	N/A
4.1	Extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels	N/A
4.2	Toys to be worn on the head	N/A
4.3	Toy disguise costumes and toys intended to be worn by child in play	N/A
4.3	warning on product and packaging (10 - 30 mm/s)	N/A
4.4	Toys intended to be entered by a child	N/A
4.4	warning on product and packaging (10 – 30 mm/s)	N/A
4.5	Soft-filled toys	N/A

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section NR = Not Request



Technical Report: **(6620)224-0667**August 18,2020
Page 7 of 12

Tested Component(s) Breakdown List

Sample Identity	Color / Component	Location	Style
1	Cmyk/cardboard	Card	#004970
2	Cmyk/paperboard	Outer box	#004970
3	Cmyk/cardboard	Card	#780662
4	Cmyk/paperboard	Outer box	#780662
5	Cmyk on paper	/	#004970
6	Cmyk on paper	/	#780662



Technical Report: (6620)224-0667

August 18,2020 Page 8 of 12

Migration of Certain Elements - (European Standard EN 71 PART 3:2019)

Test Method : European Standard EN 71 Part 3: 2019, Section 8.

See Soluble Element (Parameter) and its corresponding Maximum Allowable Limit (Req.) in Result Table	Category I	Dry, brittle, powder-like or pliable toy material
	Category II	Liquid or sticky toy material
	Category III	Scraped-off toy material

-	Unit	Req.	Report	rt Result		
Test Item(s)	-	-	Limit	1	2	3
Category		III	III	III	III	III
Parameter	-	-	-	-	-	-
Mass of Trace Amount	g	-	-	-	-	-
Boron (B)	mg/kg	15000	1500	<1500	<1500	<1500
Aluminium (AI)	mg/kg	70000	7000	<7000	<7000	<7000
Chromium III (Cr III)	mg/kg	460	46	Cr(III): <46	Cr(III): <46	Cr(III): <46
Chromium VI (Cr VI)	mg/kg	0.053	0.005	Cr(VI): <0.005	Cr(VI): <0.005	Cr(VI): <0.005
Manganese (Mn)	mg/kg	15000	1500	<1500	<1500	<1500
Cobalt (Co)	mg/kg	130	13	<13	<13	<13
Nickel (Ni)	mg/kg	930	93	<93	<93	<93
Copper (Cu)	mg/kg	7700	770	<770	<770	<770
Zinc (Zn)	mg/kg	46000	4600	<4600	<4600	<4600
Arsenic (As)	mg/kg	47	4.7	<4.7	<4.7	<4.7
Selenium (Se)	mg/kg	460	46	<46	<46	<46
Strontium (Sr)	mg/kg	56000	5600	<5600	<5600	<5600
Cadmium (Cd)	mg/kg	17	1.7	<1.7	<1.7	<1.7
Tin (Sn)	mg/kg	180000	18000	<18000	<18000	<18000
Organic tin	mg/kg	12	12*	<12*	<12*	<12*
Antimony (Sb)	mg/kg	560	56	<56	<56	<56
Barium (Ba)	mg/kg	18750	1875	<1875	<1875	<1875
Mercury (Hg)	mg/kg	94	9.4	<9.4	<9.4	<9.4
Lead (Pb)	mg/kg	23	2.3	<2.3	<2.3	<2.3
Conclusions	-	-	-	PASS	PASS	PASS



Technical Report: **(6620)224-0667**August 18,2020
Page 9 of 12

-	Unit	Req.	Report	Result		
Test Item(s)	-	-	Limit	4	-	-
Category		III	III	III	-	-
Parameter	-	-	-	-	-	-
Mass of Trace Amount	g	-	-	-	-	-
Boron (B)	mg/kg	15000	1500	<1500	-	-
Aluminium (AI)	mg/kg	70000	7000	<7000	-	-
Chromium III (Cr III)	mg/kg	460	46	Cr(III): <46	_	_
Chromium VI (Cr VI)	mg/kg	0.053	0.005	Cr(VI): <0.005		
Manganese (Mn)	mg/kg	15000	1500	<1500	-	-
Cobalt (Co)	mg/kg	130	13	<13	-	-
Nickel (Ni)	mg/kg	930	93	<93	-	-
Copper (Cu)	mg/kg	7700	770	<770	-	-
Zinc (Zn)	mg/kg	46000	4600	<4600	-	-
Arsenic (As)	mg/kg	47	4.7	<4.7	-	-
Selenium (Se)	mg/kg	460	46	<46	-	-
Strontium (Sr)	mg/kg	56000	5600	<5600	-	-
Cadmium (Cd)	mg/kg	17	1.7	<1.7	-	-
Tin (Sn)	mg/kg	180000	18000	<18000	-	-
Organic tin	mg/kg	12	12*	<12*	-	-
Antimony (Sb)	mg/kg	560	56	<56	-	-
Barium (Ba)	mg/kg	18750	1875	<1875	-	-
Mercury (Hg)	mg/kg	94	9.4	<9.4	-	-
Lead (Pb)	mg/kg	23	2.3	<2.3	-	-
Conclusions	-	-	-	PASS	-	-



Technical Report: (6620)224-0667

August 18,2020 Page 10 of 12

Note / Key:

ND = Not detected ">" = Greater than

Req. = Requirement

NR = Not requested g = gram(s)

mg/kg = milligram(s) per kilogram = ppm = part(s) per million

Remark:

- If combined Cr content exceeds 0.02mg/kg in I mat., 0.005 mg/kg in II mat., or 0.053mg/kg in III mat., confirmation Cr(VI) by IC-ICP-MS or IC-UV/VIS. Cr(III)=Combined Cr Cr(VI).
- *Result(s) of organic tin was (were) calculated by assuming the soluble tin content was wholly contributed from tributyltin (TBT) cation unless further specified.
- The European Commission proposed to amend the maximum allowable limit(s) of migratable aluminium of European Parliament and Council Directive 2009/48/EC in particular regarding to Annex II, Part III, Point 13 in order to ensure the alignment to the scientific evidence from The Scientific Committee on Health, Environmental and Emerging Risks (SCHEER) and increase children's safety. See details in Comment.

Comment:

Proposals to amendment of European Parliament and Council Directive 2009/48/EC, Annex II, Part III, Point 13:							
-	Type I	Type II	Type III				
Element(s)	Aluminium (Al)	Aluminium (AI)	Aluminium (Al)				
Current	5 625 mg/kg	1 406 mg/kg	70 000 mg/kg				
Proposed ^[b]	2 250 mg/kg	560 mg/kg	28 130 mg/kg				

[b] denotes as these maximum allowable limits are referenced from the proposal for a European Commission Directive amending European Parliament and Council Directive 2009/48/EC, Annex II, Part III, Point 13, notified through World Trade Organization (WTO) dated on December 10, 2018 (With Notification Number G/TBT/N/EU/626). The proposal is expected to be adopted in the second quarter of Year 2019 and enter into application 18 months after publication in the Official Journal of the European Union (OJEU).



Technical Report: (6620)224-0667

August 18,2020 Page 11 of 12

BBP/DBP/DEHP/DnHP/DIDP PHTHALATES CONTENT REQUIREMENTS IN TOYS, CHILD CARE ARTICLES AND WATCHES (California Proposition 65 settlements of County of Sacramento case number 07AS04683, and the Alameda Superior Court case numbers BG07350969, RG08367601, RG07351032 and RG08378050)

Test Parameter	BBP	DBP	DEHP	DnHP	DIDP		
Limit (%)	0.1	0.1	0.1	0.1	0.1		
Sample		Result (%)					
5	ND	ND	ND	ND	ND	PASS	
6	ND	ND	ND	ND	ND	PASS	

Detection Limit:

BBP

= Butyl benzyl phthalate (0.005%) = Dibutyl phthalate (0.005%)

DBP = Dibutyl phthalate (0.005%)
DEHP = Di(2-ethylhexyl) phthalate (0.005%)
DnHP = Di-n-hexyl phthalate (0.005%)
DIDP = Di-iso-decyl phthalate (0.005%)

Results reported in percentage

LT = Less than ND = None detected

PHTHALATES CONTENT IN CHILDREN'S TOYS AND CHILD CARE ARTICLES (Consumer Product Safety Improvement Act (CPSIA) of 2008, Section 108(a) and 108(c), 16 CFR 1307)

Test Method: With reference to U. S. CPSC-CH-C1001-09.3 (April 1, 2010) / CPSC-CH-C1001-09.4 (January 17, 2018).

Test Parameter:	Listed Phthalates (See Remark)		
Requirement:	Each 0.1%		
Sample ID	Detected Analyte	Concentration (%)	Conclusion
5	ND	ND	PASS
6	ND	ND	PASS

Results reported in percentage

ND = None detected

Detection Limit: Each Phthalate (0.005%)

	LIST OF RESTRICTED PHTHALATES			
Number	Chemical Name	CAS Number		
1.	Butyl benzyl phthalate (BBP)	85-68-7		
2.	Dibutyl phthalate (DBP)	84-74-2		
3.	Di(2-ethylhexyl) phthalate (DEHP)	117-81-7		
4.	Di-iso-nonyl phthalate (DINP)	28553-12-0 & 68515-48-0		
5.	Di-iso-butyl phthalate (DIBP)	84-69-5		
6.	Di-n-pentyl phthalate (DPENP or DnPP)	131-18-0		
7.	Di-n-hexyl phthalate (DHEXP or DnHP)	84-75-3		
8.	Dicyclohexyl phthalate (DCHP)	84-61-7		



Technical Report: (6620)224-0667

August 18,2020



END OF REPORT