



Revised Test Report

PREPARED FOR:

Looney Labs
Attn: Kristine Greer
P.O. Box 761
College Park, MD 20741

Testing ID: 100102009A

Order Number: 10219837

Trace Code & Receipt Date(s): C140274, January 21, 2014

Dates Test(s) Conducted: February 12, 2014 – February 20, 2014

Supersedes Report Dated: February 21, 2014

Test Report Date: March 18, 2014

PRODUCT(S) TESTED:

Fluxx Board Game
Age Grade: 8+ Years

TEST(S) PERFORMED:	TEST METHOD(S):	RESULT(S):
CPSIA Total Lead in Accessible Substrate Material: Non-Metal Children’s Products	CPSC-CH-E1002-08.3	Pass
Phthalates (7P) : BBP, DBP, DEHP, DIDP, DnHP, DINP & DnOP	CPSC-CH-C1001-09.3	Pass
Soluble Migrated Elements: Surface Coating	ASTM F963, Sec. 4.3.5.1 & 8.3	Pass
Total Lead Containing Paint/Surface Coating	CPSC-CH-E1003-09.1	Pass
Toxics in Packaging	TP0072, TP0165	Pass
Flammability of Solids: Toys	16 CFR 1500.44 & ASTM F963, Sec. 4.2 & Annex A5	Pass
Age Grading: Toys	ASTM F963, Sec. 5.2 & Annex A1	Ref Only
California Proposition 65	Visual Inspection	Ref Only
Country of Origin Marking	Visual Inspection	Pass
CPSIA Tracking Labels for Children’s Products	Visual Inspection	Pass
Plastic Bag Suffocation Warning	Visual Inspection	Pass
Producer Markings: Toys	ASTM F963, Sec. 7.1	Pass
Material Quality	ASTM F963, Sec. 4.1 & 4.3.1 (Modified)	Pass
Packaging Film	ASTM F963, Sec. 4.12 & 8.21	Ref Only
Sharp Accessible Edges: Over 8	16 CFR 1500.49 & ASTM F963, Sec. 4.7 & 8.5-8.10 (Modified)	Ref Only
Sharp Accessible Points: Over 8	16 CFR 1500.48 & ASTM F963, Sec. 4.9 & 8.5-8.10 (Modified)	Ref Only

NOTE(S):

See individual Test Results attached. A modification has been made to change product description.

Bobby S. Cammilleri
Client Services Specialist
Toys & Hardlines
np/amt

LETTERS & REPORTS: UL Verification Services, Inc. (UL) letters and reports are issued for the exclusive use of the clients to whom they are addressed. No quotations from reports or use of the UL name is permitted except as expressly authorized in writing. Letters and reports apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. The liability of UL with respect to services rendered shall be limited to the amount of consideration paid for such service and not include any consequential damages. This report or certificate does not relieve sellers/suppliers from their contractual responsibility with regard to the quality/quantity of this delivery, nor does it prejudice clients’ right to claim towards sellers/suppliers for compensation for any apparent and/or hidden defects not detected during our random inspection or testing. UL has not performed a complete analysis of the product. The results contained in this report indicate that the product has passed or failed the specific tests only. These test results, even if rated as “Passed,” do not indicate or certify that the product is safe for commercial or consumer use.

UL Verification Services, Inc., 1559 King Street, Enfield, CT 06082 USA
Phone: (860) 749-8371 | Fax: (860) 749-0196 | Email: QAINFO@UL.COM | Website: www.ul.com/consumer-products

Your satisfaction is very important to us; please participate in the following client satisfaction survey by visiting: www.ul.com/customers



TEST RESULTS

Chemical/Analytical				
Test Property	Test Method/Citation	Product Requirement	Test Results	Rating
CPSIA Total Lead in Accessible Substrate Material: Non-Metal Children's Products	CPSC-CH-E1002-08.3 Citation: 16 CFR 1500.87-91	< or = 100 ppm Compositing of substrates is performed under the guidelines set by CPSC under their Standard Operating Procedures for determining lead (CPSC-CH-E1003-09). A maximum of three materials or composites and only "like" materials can be composited.	Orange Pawns: <4 ppm Zip Lock Bag: <4 ppm Black Tray: <4 ppm	Pass
Phthalates (7P) : BBP, DBP, DEHP, DIDP, DnHP, DINP & DnOP	CPSC-CH-C1001-09.3 2010 Citation: CPSIA Public Law 110-314 (6P) & California Health & Safety Code, Sec. 108935-108939 (6P + DnHP)	BBP, DBP, DEHP, DIDP, DnHP, DINP, and DnOP: < or = 0.1% (1,000 ppm) each. Compositing of phthalates is performed under the guidelines set by CPSC as instructed per 16 CFR 1109.21. A maximum of 3 materials or composites and only "like" materials can be composited.	Multi-Color Coating from Box, Instructions, & Cards, Board: DBP: <0.004% BBP: <0.004% DEHP: <0.004% DnOP: <0.004% DINP: <0.010% DIDP: <0.010% DnHP: <0.004% Green Pawn Coating & Yellow Pawn Coating Composite: DBP: <0.004% BBP: <0.004% DEHP: <0.004% DnOP: <0.004% DINP: <0.010% DIDP: <0.010% DnHP: <0.004% Blue Pawn Coating & Red Pawn Coating Composite: DBP: <0.004% BBP: <0.004% DEHP: <0.004% DnOP: <0.004% DINP: <0.010% DIDP: <0.010% DnHP: <0.004% Ziplock Bag: DBP: <0.004% BBP: <0.004% DEHP: <0.004% DnOP: <0.004% DINP: <0.010% DIDP: <0.010% DnHP: <0.004% Tray: DBP: <0.004% BBP: <0.004% DEHP: <0.004% DnOP: <0.004% DINP: <0.010% DIDP: <0.010% DnHP: <0.004%	Pass

LETTERS & REPORTS: UL Verification Services, Inc. (UL) letters and reports are issued for the exclusive use of the clients to whom they are addressed. No quotations from reports or use of the UL name is permitted except as expressly authorized in writing. Letters and reports apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. The liability of UL with respect to services rendered shall be limited to the amount of consideration paid for such service and not include any consequential damages. This report or certificate does not relieve sellers/suppliers from their contractual responsibility with regard to the quality/quantity of this delivery, nor does it prejudice clients' right to claim towards sellers/suppliers for compensation for any apparent and/or hidden defects not detected during our random inspection or testing. UL has not performed a complete analysis of the product. The results contained in this report indicate that the product has passed or failed the specific tests only. These test results, even if rated as "Passed," do not indicate or certify that the product is safe for commercial or consumer use.



TEST RESULTS

Chemical/Analytical				
Test Property	Test Method/Citation	Product Requirement	Test Results	Rating
Soluble Migrated Elements: Surface Coating	ASTM F963, Sec. 4.3.5.1 & 8.3 2011 Citation: CPSIA Public Law 110-314	In Surface Coatings, < or = the following: Soluble Antimony: 60 ppm; Soluble Arsenic: 25 ppm; Soluble Barium: 1,000 ppm; Soluble Cadmium: 75 ppm; Soluble Chromium: 60 ppm; Soluble Lead: 90 ppm; Soluble Mercury: 60 ppm; Soluble Selenium: 500 ppm	Multi-Color Coating from Box, Instructions, & Cards, Board: Antimony: <0.2 ppm Arsenic: <0.2 ppm Barium: 0.4 ppm Cadmium: <0.2 ppm Chromium: <0.2 ppm Lead: <0.2 ppm Mercury: <0.2 ppm Selenium: <0.2 ppm Green Pawn Coating: Antimony: <0.2 ppm Arsenic: <0.2 ppm Barium: 3.5 ppm Cadmium: <0.2 ppm Chromium: <0.2 ppm Lead: <0.2 ppm Mercury: <0.2 ppm Selenium: <0.2 ppm Blue Pawn Coating: Antimony: <0.2 ppm Arsenic: <0.2 ppm Barium: 9.0 ppm Cadmium: <0.2 ppm Chromium: <0.2 ppm Lead: <0.2 ppm Mercury: <0.2 ppm Selenium: <0.2 ppm Red Pawn Coating: Antimony: <0.2 ppm Arsenic: <0.2 ppm Barium: 7.7 ppm Cadmium: <0.2 ppm Chromium: <0.2 ppm Lead: <0.2 ppm Mercury: <0.2 ppm Selenium: <0.2 ppm Yellow Pawn Coating: Antimony: <0.2 ppm Arsenic: <0.2 ppm Barium: 6.0 ppm Cadmium: <0.2 ppm Chromium: <0.2 ppm Lead: <0.2 ppm Mercury: <0.2 ppm Selenium: <0.2 ppm	Pass

LETTERS & REPORTS: UL Verification Services, Inc. (UL) letters and reports are issued for the exclusive use of the clients to whom they are addressed. No quotations from reports or use of the UL name is permitted except as expressly authorized in writing. Letters and reports apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. The liability of UL with respect to services rendered shall be limited to the amount of consideration paid for such service and not include any consequential damages. This report or certificate does not relieve sellers/suppliers from their contractual responsibility with regard to the quality/quantity of this delivery, nor does it prejudice clients' right to claim towards sellers/suppliers for compensation for any apparent and/or hidden defects not detected during our random inspection or testing. UL has not performed a complete analysis of the product. The results contained in this report indicate that the product has passed or failed the specific tests only. These test results, even if rated as "Passed," do not indicate or certify that the product is safe for commercial or consumer use.



TEST RESULTS

Chemical/Analytical				
Test Property	Test Method/Citation	Product Requirement	Test Results	Rating
Total Lead Containing Paint/Surface Coating	CPSC-CH-E1003-09.1 2011 Citation: 16 CFR 1303	< or = 90 ppm lead content for the following: 1) Wet paint and/or other similar surface coating materials; 2) Toys and Children's products that bear paint and/or similar surface coating materials; 3) Furniture that bears paint and/or similar surface coating materials. Compositing is performed under the guidelines set by CPSC under their Standard Operating Procedures for determining lead (CPSC-CH-E1003-09). A maximum of 3 materials or composites and only "like" materials can be composited. NOTE: Individual States may have additional requirements regarding the presence of lead in consumer products; this section relates only to the U.S. Federal Regulation 16 CFR 1303, and is not intended to represent compliance with any individual State regulation.	Multi-Color Coating from Box, Instructions, & Cards, Board: <4 ppm Green Pawn Coating & Yellow Pawn Coating Composite: <4 ppm Blue Pawn Coating & Red Pawn Coating Composite: <4 ppm	Pass
Toxics in Packaging	TP0072, TP0165 2008 Revision: 2 Citation: State Legislation (Modified)	Modification: If compositing is performed, then the following three composites will be used: 1) one composite on paper/board components; 2) one composite on plastic packaging; 3) one composite on metal components. The sum of the concentrations of lead, mercury, cadmium and hexavalent chromium that can be found in any package or packaging components, including inks or labels: < or = 100 ppm (0.01%). For recycled materials, the sum of the concentrations of lead, mercury, cadmium and hexavalent chromium that can be found in any package or packaging components, including inks or labels, shall not exceed 200 ppm (0.02%).	Box Film: Cadmium: <2 ppm Chromium: <6 ppm Lead: <4 ppm Mercury: <5 ppm Total of 4 Elements: <17 ppm Polybag: Cadmium: <2 ppm Chromium: <6 ppm Lead: <4 ppm Mercury: <5 ppm Total of 4 Elements: <17 ppm Card Film: Cadmium: <2 ppm Chromium: <6 ppm Lead: <4 ppm Mercury: <5 ppm Total of 4 Elements: <17 ppm Board Waste: Cadmium: <2 ppm Chromium: <6 ppm Lead: <4 ppm Mercury: <5 ppm Total of 4 Elements: <17 ppm	Pass



TEST RESULTS

Flammability				
Test Property	Test Method/Citation	Product Requirement	Test Results	Rating
Flammability of Solids: Toys	16 CFR 1500.44 & ASTM F963, Sec. 4.2 & Annex A5 2011 Citation: CPSIA Public Law 110-314	Accept if burn rate of all samples is <0.1 inch (2.5 mm)/second. Accept and consider further investigation for action to improve performance if burn rate of all samples is >0.1 inch (2.5 mm)/second but <0.15 inch (3.75 mm)/second. Reject and repeat test (with 4 additional samples, one time only) if burn rate of one sample is > or = 0.15 inch (3.75 mm)/second. Reject if burn rate of any of retested samples is > or = 0.15 inch (3.75 mm)/second. Reject if burn rate of more than one of initial four samples is > or = 0.15 inch (3.75 mm)/second.	Burn Rate (in/sec): Box: Sample 1: Did not ignite Sample 2: Did not ignite Sample 3: Did not ignite Sample 4: Did not ignite Black Tray: Sample 1: 0.12 Sample 2: 0.13 Sample 3: 0.12 Sample 4: 0.13 Red Piece: Sample 1: 0.01 Sample 2: Did not ignite Sample 3: Did not ignite Sample 4: 0.01 Tiles: Sample 1: Did not ignite Sample 2: 0.02 Sample 3: 0.02 Sample 4: 0.02	Pass
Labeling				
Test Property	Test Method/Citation	Product Requirement	Test Results	Rating
Age Grading: Toys	ASTM F963, Sec. 5.2 & Annex A1 2011 Citation: CPSIA Public Law 110-314	A toy or its retail packaging should be clearly, conspicuously and appropriately labeled to indicate the minimum age for its intended use. In the absence of such a label, UL shall evaluate the toy for age grading and shall subject it to the most stringent applicable requirements.	Tested - 8+ Labeled - 8+	Ref Only
California Proposition 65	Visual Inspection Citation: Title 27, Article 6, Sec. 25601 California Code of Regulations	Unless otherwise directed by the client, the result of this test is reported for reference only; the result is not rated. Only the parties listed in the settlement must comply; parties not listed in this settlement must comply with the labeling requirements of California Proposition 65 as the settlements are not mandatory for non-parties and will not protect against liability. NOTE: If the client has asked for testing to California Proposition 65, please refer to Generic protocol #4911 or the client-specific California Proposition 65 protocol. These protocols have a list of settlements known to UL.	No declaration or disclosure provided at time of testing.	Ref Only



TEST RESULTS

Labeling				
Test Property	Test Method/Citation	Product Requirement	Test Results	Rating
Country of Origin Marking	Visual Inspection Citation: 19 CFR 134.11 & 19 CFR 134.33	Unless excepted, every article of foreign origin (or its container) imported into the United States shall be marked in a conspicuous place as legibly, indelibly, and permanently as the nature of the article (or container) will permit, in such manner as to indicate to an ultimate purchaser in the United States the English name of the country of origin of the article. Containers of articles exempted from marking shall be marked with the name of the country of origin of the article unless the container is also exempted from marking.	Printed in the U.S.A.	Pass
CPSIA Tracking Labels for Children's Products	Visual Inspection Citation: 15 U.S.C. §2063(a)(5) (CPSA)	Product and its packaging shall bear permanent distinguishing marks, as required and to the extent practicable, that allow the manufacturer to ascertain the location and date of production of the product, cohort information (including the batch, run number, or other identifying characteristic), and any other information determined by the manufacturer to facilitate ascertaining the specific source of the product by reference to those marks. These marks shall also allow the ultimate purchaser to ascertain the manufacturer or private labeler, location and date of production of the product, as well as cohort information (including the batch, run number, or other identifying characteristic). Product must have manufacturer or private labeler name included on the product and its packaging, unless it is not practicable to place on both.	Box - 351819 Major Component - not present The Client confirmed in an e-mail that the contents of the game will stay with the box.	Pass



TEST RESULTS

Labeling				
Test Property	Test Method/Citation	Product Requirement	Test Results	Rating
Plastic Bag Suffocation Warning	Visual Inspection Citation: California Business & Professions Code, Sec. 22200-22205, Chicago, IL Municipal Code C.7-28-050, MA 105 CMR 630.000, 10 NY ADC 12.12, RI Code 11-9-16 & VA Code 18.2-320	If bag thickness is 1 mil or greater, report as PASS. If bag thickness is <1 mil, in order to establish compliance (pass/fail), the bag's dimensions need to be considered in conjunction with the labeling specifications of the individual jurisdictions as follows: CALIFORNIA - You must label if: 1) Thickness is an average less than one mil, and 2) Size of opening is larger than 25 square inches or a capacity of more than 125 cubic inches. CHICAGO, IL - requirement is for polyethylene bag, other than one used for food products weighing not more than five pounds, intended for household. MASSACHUSETTS & NEW YORK - You must label if: 1) Thickness is less than one mil, and 2) Size of opening has a diameter of seven inches or more, and 3) Length and width when added together totals 25 inches or more. RHODE ISLAND - You must label if: 1) Thickness is less than one mil, and 2) Size of opening is larger than five inches in diameter. VIRGINIA - You must label dry cleaning bags if: 1) Thickness is less than one mil, and 2) Length totals twenty-five inches or more. CALIFORNIA & RHODE ISLAND - Total length and width of: <30 inches = 10 point type minimum = or > 30 inches and < 40 inches = 14 point type minimum = or > 40 inches and < 60 inches = 18 point type minimum = or > 60 inches = 24 point type minimum. MASSACHUSETTS - Total length and width of: = or > 25 inches and < 40 inches = 14 point type minimum = or > 40 inches and < 60 inches = 18 point type minimum = or > 60 inches = 24 point type minimum. Label shall appear on both sides of bag. If total length and total width is more than 40 inches (when added), label shall be repeated at 20 inch intervals. NEW YORK - Total length and width of: = or > 25 inches and < 30 inches = 10 point type minimum = or > 30 inches and < 40 inches = 14 point type minimum = or > 40 inches and < 60 inches = 18 point type minimum = or > 60 inches = 24 point type minimum. VIRGINIA - 36 point type minimum. Plastic bags in California, Massachusetts, New York, Rhode Island, and Virginia require the following warning: "WARNING: To avoid danger of suffocation, keep this plastic bag away from babies and children. Do not use this bag in cribs, beds, carriages or play pens. This bag is not a toy." If the warning is required based on thickness and opening size, but not present, then the test shall be reported as fail. If a warning is present, report the warning listed on the bag.	The bag thickness is >1 mil.	Pass
Producer Markings: Toys	ASTM F963, Sec. 7.1 2011 Citation: CPSIA Public Law 110-314	A toy's principal component or its packaging shall be legibly and conspicuously marked with the name and address of the producer or distributor. All of such markings shall be resistant to normal use conditions.	Looney Labs® P.O. Box 761 College Park, MD 20740	Pass

LETTERS & REPORTS: UL Verification Services, Inc. (UL) letters and reports are issued for the exclusive use of the clients to whom they are addressed. No quotations from reports or use of the UL name is permitted except as expressly authorized in writing. Letters and reports apply only to the specific materials, products or processes tested, examined or surveyed and are not necessarily indicative of the qualities of apparently identical or similar materials, products or processes. The liability of UL with respect to services rendered shall be limited to the amount of consideration paid for such service and not include any consequential damages. This report or certificate does not relieve sellers/suppliers from their contractual responsibility with regard to the quality/quantity of this delivery, nor does it prejudice clients' right to claim towards sellers/suppliers for compensation for any apparent and/or hidden defects not detected during our random inspection or testing. UL has not performed a complete analysis of the product. The results contained in this report indicate that the product has passed or failed the specific tests only. These test results, even if rated as "Passed," do not indicate or certify that the product is safe for commercial or consumer use.



TEST RESULTS

Mechanical				
Test Property	Test Method/Citation	Product Requirement	Test Results	Rating
Material Quality	ASTM F963, Sec. 4.1 & 4.3.1 (Modified) 2011 Citation: CPSIA Public Law 110-314	Modification: UL is unable to confirm if reprocessed materials are used. The manufacturer is responsible for conformance of such materials to the Federal Hazardous Substances Act. Toys may be made from new or reprocessed materials and shall be visually clean and free from infestation. The materials shall be assessed visually by the unaided eye rather than by magnification. Any reprocessed materials shall be sufficiently refined such that any level of hazardous substances conforms to ASTM F963, Section 4.3.1.	The samples tested appear to be visually clean and free from infestation.	Pass
Packaging Film	ASTM F963, Sec. 4.12 & 8.21 2011 Citation: CPSIA Public Law 110-314	Flexible plastic film bags and flexible plastic sheets used as packaging materials for shelf packages or used with toys shall be at least 0.00150 inch (0.03810 mm) in average thickness, but the actual thickness shall never be less than 0.00125 inch (0.03175 mm). Alternatively, sheeting with an average thickness of less than 0.00150 inch (0.03810 mm) shall be perforated with defined holes so that a minimum of 1% of the area has been removed over any area of 1.18 x 1.18 inch (30 x 30 mm). NOTE: Results of this test for items which are dimensionally exempt are reported for informational purposes only.	L. 4.6" x W.2.7" - exempt too small L. 3.6" x W. 4.0" - exempt too small	Ref Only
Sharp Accessible Edges: Over 8	16 CFR 1500.49 & ASTM F963, Sec. 4.7 & 8.5-8.10 (Modified) 2011 Citation: CPSIA Public Law 110-314	Modification: The result of this test is reported for reference only; the result is not rated. Sample is assessed in as-received condition, and any nonfunctional hazardous sharp edges are noted.	No sharp edges are present in as received condition.	Ref Only
Sharp Accessible Points: Over 8	16 CFR 1500.48 & ASTM F963, Sec. 4.9 & 8.5-8.10 (Modified) 2011 Citation: CPSIA Public Law 110-314	Modification: The result of this test is reported for reference only; the result is not rated. Sample is assessed in as-received condition, and any nonfunctional hazardous sharp points are noted. Wood Samples: The accessible surfaces and edges of wood used in toys shall be free of splinters, both before and after being tested in accordance with the appropriate procedures described in Sections 8.5-8.10.	No sharp points are present in as received condition.	Ref Only



TEST RESULTS

PRODUCT PHOTO(S)



***** End of Report *****